

RX33**MATERIAL SAFETY DATA SHEET**

Last changed: 15.01.07

Internal no.:

Replaces date: 1st Issue**1. PRODUCT AND COMPANY**

TRADE NAME	RX33
USE	Bio-Enzymatic Drain Maintainer
OTHER TRADE NAMES	AIRX 33

Producer/Importer	Xeria Solutions Ltd
Address	1a Windmill Avenue
Town / Postcode	Woolpit Bury St Edmunds, Suffolk, IP30 9UP
Telephone	08448 009 350
Fax	01359 245866
Contact person	Richard Edwards
Responsible	Richard Edwards
Issued by	Xeria Solutions Ltd

2. COMPOSITION OF PRODUCT

SUBSTANCE NAME	PROPORTION	CAS Number
Viable Bacterial Cultures		N/A
C12-14 secondary ethoxylated Alcohols		84133-50-6

NOTE: Organisms used are non-pathogenic, but can cause infection when in contact with open wounds. These organisms are susceptible to many commonly used antibiotics.

3. HAZARD IDENTIFICATION

Acute Health Effects **Skin:** See note above in section 2. **Eyes:** Dust or mist could infect eyes. **Carcinogenic Ingredients:** None

4. FIRST AID

Eye: Wash immediately with water for at least 15 minutes. Call a physician. **Swallowed:** Drink large quantities of milk or water. Call a physician.

Skin: Flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing/shoes. Call a physician. Wash clothing before reuse.

Inhaled: Remove exposed person to fresh air. Treat symptomatically.

First Aid Facilities: Treat as above – seek medical advice.

Advise to Doctor: In case of poisoning, contact Poisons Information Centre Tel: 0870 6006266

5. FIRE FIGHTING MEASURES

Fire/Explosion Hazard: None known **Fire Fighting Procedures:** Do not enter confined fire spaces without protective clothing and self contained air supply.

Extinguishing Media: CO₂, dry chemical foam and water spray.

6. ACCIDENTAL RELEASE MEASURES

Caution: Where possible, flush down the drain to waste sewer, otherwise on small spills use chemical absorbent and sweep up- large spills, confine and collect.

Waste Disposal: Dispose of in accordance with applicable Federal, State and Local ordinances.

7. HANDLING AND STORAGE

Wash hands thoroughly with soap and water after use. Avoid contact with eyes. To maintain product activity keep container closed. Avoid freezing.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Engineering Controls Mechanical Ventilation

Personal Protection Equipment

Gloves: Rubber is recommended. **Eyes:** The use of chemical goggles/glasses with safety shields is recommended. **Respiratory Protection:** Not needed under normal conditions of use.

Other protective clothing: Not required for normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale orange opaque liquid, citrus odour **Boiling Point:** Near 212 **Vapour Pressure:** Unknown **Specific Gravity:** 1.000

Solubility in Water: Complete **Flashpoint:** None to boiling **Flammability Limits:** Unknown **Other Properties** **PH:** 7.00

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous decomposition products: Carbon monoxide and other unidentified organic gases may occur during incomplete combustion.

Incompatibilities: Strong oxidizers.

11. TOXICOLOGICAL INFORMATION

There is no toxicological information available for this product.

12. ECOLOGICAL INFORMATION

There is no ecological information available for this product.

13. DISPOSAL

Dispose of in accordance with federal, state and local requirements.

14. TRANSPORT INFORMATION

UN Number: Unknown

Proper Shipping Name: None allocated

Dangerous Goods Class: None allocated

Subsidiary risk: None allocated

Packing Group: None allocated

Hazchem Code: None allocated

15. REGULATORY INFORMATION

Poison Schedule: None allocated

Risk Phrases: None allocated

Safety Phrases: None allocated

16. OTHER INFORMATION

Contact Point RICHARD EDWARDS, CONSULTANT Tel: 08448 009 350

Disclaimer

FOLLOW GOOD WORKING PRACTICE: HANDLE WITH CARE, AVOID INGESTION, INHALATION, EYE OR SKIN CONTACT. SINCE WE CANNOT ANTICIPATE OR CONTROL THE MANY DIFFERENT CONDITIONS UNDER WHICH THIS INFORMATION & OUR PRODUCTS MAY BE USED, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED APPLICATION & CONFIRM THAT THEY ARE APPROPRIATE.